

CV RUNDAWA TEKNIK

Jl. Cihanjuang No. 182, Kota Cimahi,Jawa barat , Indonesia , 40513

Type your text

Mobile phone : 0812 2196 117

www.generalkontraktor.co.id

NO.	TYPE	U R A I A N	Q'TY	HARGA SATUAN (Rp.)
38.	RA-100	SAMPLE SPLITER Stainless steel, chute width 1/2", 12 holes, supplied complete with scoop and pans.	1 set	1,300,000 
39.	RA-101	SAMPLE SPLITER Stainless steel, chute width 3/4", 12 holes, supplied complete with scoop and pans.	1 set	1,450,000
40.	RA-102	SAMPLE SPLITER Stainless steel, chute width 1", 12 holes, supplied complete with scoop and pans.	1 set	1,550,000
41.	RA-103	SAMPLE SPLITER Stainless steel, chute width 1-1/2", 8 holes, supplied complete with scoop and pans.	1 set	1,650,000
42.	RA-104	SAMPLE SPLITER Stainless steel, chute width 2", 8 holes, supplied complete with scoop and pans.	1 set	1,700,000
43.	RA-105	SAMPLE SPLITER Stainless steel, chute width 2-1/2", 8 holes, supplied complete with scoop and pans.	1 set	1,750,000
44.	RA-106	SAMPLE SPLITER Stainless steel, chute width 3", 8 holes, supplied complete with scoop and pans	1 set	1,850,000
45.	RA-111	GILSON SAMPLE SPLITTER Painted plate frame, alumunium chute, variable chute width, 1/2" . increment (1/2", 1", 1 1/2", 2", etc) Supplied with pans. Dimensions (l x w x h) : 110 x 50 x 50 cm.	1 set	7,500,000 
46.	RA-122	PRECISSION SAMPLE SPLITTER Stainless steel, chute width 1/4" x 32 holes, supplied complete with scoop and pans. Dimension (l x w x h) : 50 x 50 x 50 cm.	1 set	1,950,000 
47	RA-123	PRECISSION SAMPLE SPLITTER Stainless steel, chute width 1/4" x 16 holes, supplied complete with scoop and pans.	1 set	2,250,000

NO.	TYPE	U R A I A N	Q'TY	HARGA SATUAN (Rp.)
48	RA-170	Dimension (l x w x h) : 50 x 50 x 50 cm. LENGTH GAUGE BS-812 For rapid measuring the length of aggregates. Hard wood base, steel base plate, distance : 89.0, 62.86, 39.9, 28.5, 20.1, 14.2 mm.	1 pc	1,250,000
49	RA-180	THICKNESS GAUGE BS-812 For determing the flakiness index of coarse aggregate. Galvanized metal sheet, hole size 100 x 33.9, 90 x 26.3, 80 x 19.7, 60 x 14.4, 50 x 10.2, 40 x 7.2, 30 x 4.9	1 pc	800,000
50	RA-200 A	Sieve 4"	1 pc	450,000
51	RA-201 A	Mesh 101.6 mm opening	1 pc	450,000
52	RA-202 A	Sieve 3 1/2"	1 pc	450,000
53	RA-203 A	Mesh 88.9 mm opening	1 pc	450,000
54	RA-204 A	Sieve 3"	1 pc	450,000
55	RA-205 A	Mesh 76.2 mm opening	1 pc	450,000
56	RA-206 A	Sieve 2 1/2"	1 pc	450,000
57	RA-207 A	Mesh 62.5 mm opening	1 pc	450,000
58	RA-208 A	Sieve 2"	1 pc	450,000
59	RA-209 A	Mesh 50.8 mm opening	1 pc	450,000
60	RA-210 A	Sieve 1 3/4"	1 pc	450,000
61	RA-211 A	Mesh 44.4 mm opening	1 pc	450,000
62	RA-212 A	Sieve 1 1/2"	1 pc	450,000
63	RA-213 A	Mesh 38.1 mm opening	1 pc	450,000
64	RA-214 A	Sieve 1 1/4"	1 pc	450,000
65	RA-215 A	Mesh 31.7 mm opening	1 pc	450,000
66	RA-216 A	Sieve 1"	1 pc	450,000
67	RA-218 A	Mesh 25.4 mm opening	1 pc	450,000
68	RA-222 A	Sieve 7/8"	1 pc	450,000
69	RA-223 A	Mesh 22.2 mm opening	1 pc	450,000
70	RA-224 A	Sieve 3/4"	1 pc	450,000
71	RA-226 A	Mesh 19.0 mm opening	1 pc	450,000
72	RA-228 A	Sieve 5/8"	1 pc	450,000
73	RA-230 A	Mesh 15.8 mm opening	1 pc	450,000
74	RA-232 A	Sieve 1/2"	1 pc	450,000
75	RA-234 A	Mesh 12.7 mm opening	1 pc	450,000
76	RA-235 A	Sieve 7/16"	1 pc	450,000
77	RA-236 A	Mesh 11.1 mm opening	1 pc	450,000
78	RA-237 A	Sieve 3/8"	1 pc	450,000
		Mesh 9.5 mm opening	1 pc	450,000
		Sieve 5/16"	1 pc	450,000
		Mesh 7.9 mm opening	1 pc	450,000
		Sieve 1/4"	1 pc	450,000
		Mesh 6.3 mm opening	1 pc	450,000
		<u>SIEVE HALUS</u>		
		Sieve # 4	1 pc	450,000
		Mesh 4.75 mm opening	1 pc	450,000
		Sieve # 8	1 pc	450,000
		Mesh 2.36 mm opening	1 pc	450,000
		Sieve # 10	1 pc	450,000
		Mesh 2.00 mm opening	1 pc	450,000
		Sieve # 12	1 pc	450,000
		Mesh 1.70 mm opening	1 pc	450,000
		Sieve # 16	1 pc	450,000
		Mesh 1.18 mm opening	1 pc	450,000
		Sieve # 20	1 pc	450,000
		Mesh 0.850 mm opening	1 pc	450,000
		Sieve # 30	1 pc	450,000
		Mesh 0.600 mm opening	1 pc	450,000
		Sieve # 40	1 pc	450,000
		Mesh 0.425 mm opening	1 pc	450,000
		Sieve # 50	1 pc	450,000
		Mesh 0.300 mm opening	1 pc	450,000
		Sieve # 60	1 pc	450,000
		Mesh 0.250 mm opening	1 pc	450,000
		Sieve # 70	1 pc	450,000
		Mesh 0.212 mm opening	1 pc	450,000
		Sieve # 80	1 pc	450,000



NO.	TYPE	U R A I A N	Q'TY	HARGA SATUAN (Rp.)
79	RA-238 A	Mesh 0.180 mm opening Sieve # 100	1 pc	450,000
80	RA-239 A	Mesh 0.150 mm opening Sieve # 120	1 pc	450,000
81	RA-240 A	Mesh 0.125 mm opening Sieve # 140	1 pc	450,000
82	RA-241 A	Mesh 0.106 mm opening Sieve # 170	1 pc	450,000
83	RA-242 A	Mesh 0.090 mm opening Sieve # 200	1 pc	450,000
84	RA-250	Mesh 0.075 mm opening PAN & COVER	1 set	550,000
85	RA-400	Wooden Sieve 4" Mesh 101.6 mm opening	1 pc	750,000
86	RA-401	Berfungsi untuk mengetahui ukuran gradasi agregat Wooden Sieve 3 1/2" Mesh 88.9 mm opening	1 pc	920,000
87	RA-402	Wooden Sieve 3" Mesh 76.2 mm opening	1 pc	980,000
88	RA-403	Wooden Sieve 2 1/2" Mesh 62.5 mm opening	1 pc	900,000
89	RA-404	Wooden Sieve 2" Mesh 50.8 mm opening	1 pc	995,000
90	RA-405	Wooden Sieve 1 3/4" Mesh 44.4 mm opening	1 pc	1,125,000
91	RA-406	Wooden Sieve 1 1/2" Mesh 38.1 mm opening	1 pc	1,200,000
92	RA-407	Wooden Sieve 1 1/4" Mesh 31.7 mm opening	1 pc	1,100,000
93	RA-408	Wooden Sieve 1" Mesh 25.4 mm opening	1 pc	1,350,000
94	RA-409	Wooden Sieve 7/8 " Mesh 22.2 mm opening	1 pc	995,000
95	RA-410	Wooden Sieve 3/4" Mesh 19.0 mm opening	1 pc	1,125,000
96	RA-411	Wooden Sieve 5/8" Mesh 15.8 mm opening	1 pc	1,200,000
97	RA-412	Wooden Sieve 1/2" Mesh 12.7 mm opening	1 pc	1,230,000
98	RA-413	Wooden Sieve 7/16" Mesh 11.1 mm opening	1 pc	1,360,000
99	RA-414	Wooden Sieve 3/8" Mesh 9.5 mm opening	1 pc	1,500,000
100	RA-415	Wooden Sieve 5/16" Mesh 7.9 mm opening	1 pc	1,540,000
101	RA-416	Wooden Sieve 1/4" Mesh 6.3 mm opening	1 pc	1,500,000
102	RA-418	Wooden Sieve # 4 Mesh 4.75 mm opening	1 pc	730,000
103	RA-492	WET WASHING SIEVE # 200, 8" dia., 4" depth.	1 pc	1,000,000
104	RA-493	WET WASHING SIEVE # 200, 8" dia., 8" depth.	1 pc	800,000
105	RA-510	<u>ANALISA SARINGAN/ BUTIRAN AGREGAT SIEVE SHAKER</u> Hand Operated, steel box, cast aluminium pulley, 8" sieve dia, 8 sieve capacity, supplied without sieve/ pan and cover. sieve/pan & cover. Dimension (l x w x h); 50 x 50 x 100 cm.	1 set	4,500,000

NO.	TYPE	U R A I A N	Q'TY	HARGA SATUAN (Rp.)
106	RA-515	SIEVE SHAKER Electric, 22 V-AC, 200 Watt, steel base, cast aluminium pulley, 8" sieve dia, 8 sieve capacity, supplied without sieve/pan & cover Dimension (l x w x h); 50 x 50 x 100 cm.	1 set	 6,500,000
107	RA-600	SAND EQUIVALENT TEST SET ASTM D-2419 Consist of : Graduated Cylinder Transparent fibre glass, 1 1/4" i.d, 1 1/2" o.d 17" height, with scale. Stopper Assembly Rubber stopper, irrigation tube, hose, syphon. Weight Foot Assembly Machine steel, galvanized, 1000 gr weight, sand reading indicator. Stock Solution Calcium chloride, glycerin and formaldehyde solution. Supplied in a plastic container (1 ltr). Carrying Case Wooden case with handle. Thin Box Aluminium 60 gr capacity. Funnel, Plastic, narrow mouth.	1 set 2 pcs 1 set 1 set 1 btl 1 pc 2 pcs 1 pc	 4,000,000
108	RA-610	SAND EQUIVALENT SHAKER ASTM D-2419 / AASHTO T-176 To give greater uniformity action, hand operated mounting bracket with cylinder holder, two spring steel straps, built in counter, wooden case. Supplied without graduated cylinder. Dimension (l x w x h) : 60 x 30 x 90 cm	1 set	 4,000,000
109	RA-621	BOTTLE ROLLER BS-812 / ASTM C-117 Electric, 220 V, 100 watt, 50 Hz, 1 Phase, 80 RPM. Supplied complete with 1 kg capacity glass jar. Dimension (l x w x h) : 60 x 30 x 90 cm.	1 set	 4,750,000
110	RA-700	LOS ANGELES ABRASION MACHINE ASTM C-131 / AASHTO T-96 Consist of : Los Angeles Abrasion Machine Frame : Welded steel frame 8 and 12 cm. [steel profile. Drum : 1/2" thick steel plate 28" inner dia. 20" inner width. Automatic Counter : Digital, module system for easy maintenance Panel button : ON-OFF-RUN-STOP ON-OFF-RUN-STOP-JOG-RESET-500-1000. Power : Electromotor, dual voltage 110-220V.	1 set 1 set	 24,500,000

NO.	TYPE	U R A I A N	Q'TY	HARGA SATUAN (Rp.)
111	RA-702	750 watt, 1 Phase, Heavy duty speed reducer. <i>Drum Speed</i> : 30 - 33 rpm.	12 pcs	
	RA-703	Steel Ball Steel 1 7/8" diameter.	1 pc	
	RA-750	Catching Pan Galvanized steel.	1 set	
	RA-751	AGGREGATE IMPACT TEST BS-812 <u>Consist of :</u> Impact Machine	1 set	
	RA-752	Heavy-duty steel construction, safety locking bar, built in counter	1 pc	
112	RA-752	Cylindrical Measure	1 pc	
	RA-753	Mechanical steel, 75 mm dia, 50 mm deep.	1 pc	
	RA-760	Tamping Rod Galvanized steel, 3/8" dia, 8" length.	1 set	
	RA-761	AGGREGATE CRUSHING VALUE APPARATUS BS-812 <u>Consist of :</u>	1 pc	
	RA-762	Cylinder Machine steel, 154 mm dia.	1 pc	
113	RA-763	Plunger Machine steel.	1 pc	
	RA-764	Base Plate Machine steel.	1 pc	
	RA-765	Metal Measure 115 mm dia., 180 mm deep.	1 pc	
	RA-760 A	Tamping Rod Galvanized steel, 16 mm dia., 500 mm length, hemispherical at both ends.	1 set	
	RA-761 A	AGGREGATE CRUSHING VALUE APPARATUS BS-812 <u>Consist of :</u>	1 pc	
114	RA-762 A	Cylinder Machine steel, 78 mm dia.	1 pc	
	RA-763 A	Plunger Machine steel.	1 pc	
	RA-764 A	Base Plate Machine steel.	1 pc	
	RA-765 A	Metal Measure 57 mm dia., 90 mm deep.	1 pc	
	RA-800	Tamping Rod Galvanized steel, 8 mm dia., 300 mm length, hemispherical at both ends.	1 set	
115	RA-801	BULK DENSITY TEST SET ASTM C-29 / AASHTO T-19 <u>Consist of :</u>	1 set	
	RC-410	Vibrating Table Variable speed up to 3600 rpm, separate control box, 50 x 50 cm table.	1 set	
	RA-802	Container Machined steel, galvanized, 3 ltr capacity.	1 pc	
	RA-803	Container Machined steel, galvanized, 10 ltr capacity.	1 pc	
	RA-804	Container Machined steel, galvanized, 15 ltr capacity.	1 pc	
116	RA-810 A	Container Machined steel, galvanized, 30 ltr capacity.	1 pc	
	RA-811	ABSORPTION OF FINE AGGREGATE TEST SET ASTM C-128 / AASHTO T-84 <u>Consist of :</u>	1 set	
	RA-811.1	Cone and Tamper <u>Consist of :</u>	1 pc	
	RA-811.2	Cone Brass, 40 mm i.d at the top 90 mm i.d at the bottom, 75 mm height.	1 pc	
	RG-363	Tamper Machine steel, galvanized, 340 gr weight, 25 mm dia.	1 pc	
116	RG-396	Mixing Bowl Stainless steel, 25 cm dia.	1 pc	
	RG-412	Glass Plate 10 mm thick, 30 x 30 cm.	1 pc	
	RG-820	Volumetric Flask 500 ml capacity.	1 pc	
	RA-825	Spatula Plastic Handle.	1 pc	
	RA-826	SPECIFIC GRAVITY & ABSORPTION OF COARSE AGGREGATE TEST SET ASTM C-127 / AASHTO T-85 <u>Consist of :</u>	1 set	
	RA-826.1	Dunagan Balance <u>Consist of :</u> Mounting Table	1 set	

NO.	TYPE	U R A I A N	Q'TY	HARGA SATUAN (Rp.)
117	RA-826.2	Welded steel table, elevated container support.	1 pc	
	RG-157	Water Container	1 set	
	RA-822	Galvanized container, 20 ltr capacity.	1 pc	
	RA-830	Heavy Duty Solution Balance LOKAL 20 kg capacity, 1 gr sensitivity supplied complete with weights.	1 set	
		Sample Basket # 8 mesh, 200 mm dia. 200 mm height.		18,000,000
	RA-831	SPECIFIC GRAVITY & ABSORPTION OF COARSE AGGREGATE TEST SET		
	RA-831.1	ASTM C-127 / AASHTO T-85	1 pc	
	RA-831.2	Consist of : Dunagan Balance	1 pc	
	RG-161	Consist of : Mounting Table	1 pc	
	RA-822	Welded steel table, elevated container support.	1 pc	
		Water Container	1 pc	
118	RA-910	Galvanized container, 20 ltr capacity.	1 pc	
	RA-911	Balance "EXCELLENT"	1 pc	
	RA-912	Digital balance, 220 V, 6100 gr x 0.1 gr capacity.	1 btl	
	RA-913	Sample Basket # 8 mesh, 200 mm dia. 200 mm height.	1 pc	
			1 set	
119	RA-920	ORGANIC IMPURITIES TEST SET		
	RA-921	ASTM C-40 / AASHTO T-21	1 btl	
	RG-363	Consist of : Glass Bottle	1 pc	
	RG-424	350 ml cap., graduated glass with stopper.	1 pc	
	RG-600	Stock Solution	1 pc	
		Sodium hydroxide solution (NaOH), 1 litre.	1 pc	